



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



## PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PSU 90

CASE NO. 609-P

TYPE OF ACCIDENT Car/Pedestrian/Crossing Road/Straight

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle #1 was northbound on roadway and stopped at the corner. Pedestrian #1 had started to walk from east to west in cross walk. Vehicle #1 driver was looking to the right for on coming traffic that was east bound. Vehicle #1 was attempting to make a right turn on a red signal light. As pedestrian #1 was crossing in front of Vehicle #1, vehicle #1 pulled forward while still looking east and bumped Pedestrian #1 on the left leg causing Pedestrian to loose their balance. Pedestrian was not knocked down to the ground. Vehicle #1 stopped immediately after bump. Vehicle #1 was facing a stop and go signal light and Pedestrian #1 was facing a pedestrian control signal light. At time of the accident vehicle #1 front end was over the crosswalk and turned partly to the right.


B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/				e Injury Y ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	24	Female	EMS TECHS Treated a scene onl	E Xx t	Skin -other	- 1	Bracket  Bracket

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severit</li> </ul>

C. VEHICLE PROFILE						
	Class		В	Most Severe Damage lased on Vehicle Inspection		
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description		
01	Intermediate	1990 Eagle Premier	Front Left	Scratches, Smudges, etc.		

DO NOT SANITIZE THIS FORM







Administration

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

Case Number-Stratum 6 Primary Sampling Unit Number PEDESTRIANACCIDENTECOMISION DATALCOLLECTION SCALED DIAGRAM north arrow placed on diagram grade measurements for all applicable roadways scaled representations of the physical plant rate granes including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane reduction recognisation or one discusses markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: final resting points (ERP) of speciestrian and vehicle physical evidence, or reconstructed accident dynamics all treathreadway delineation (e.g., crosswelks, cumtedge lines) lane markin medians, pavement markings, parked vehicles; poler; signs, arc.) b) all traffic controls (e.g.; lights; signs) South Curstine Reference Line: Distance and Direction Distance and Direction Item from Reference Point from Reference Line 5 ResT cesea scene.

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line

## PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
----	---------	----------	------	--------

2. Case Number - Stratum

#### IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4 Date of Accident (Month, Day, Year)



5. Time of Accident

1045

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

## SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. \_\_\_\_SS15 Administrative Use

\_0\_

7. ✓ SS16 Pedestrian Crash Data Study

\_1\_

SS17 Impact Fires

<u> 10</u>

\_0\_

10. SS19

0

### NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

### PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

l	-		PEDESTRIAN	ACCIDENT	EVENTS		
	Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
	12. <u>0 1</u>	13. <u>0 1</u>	14. 03	15	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>  0                                  </u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown



### CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

## U.S. Department of Transportation **National Highway Traffic Safety**

Administration

### PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 90	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 0 9 P	kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	$\frac{187}{\text{pounds X .4536}} = \frac{84}{\text{kilograms}} $ kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter.  (999) Unknown  1 centimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
3 8 inches X 2.54 = 2 9 7 centimeters  9. Pedestrian's Height - Ground to Shoulder / 3 7 Code to the nearest centimeter. (999) Unknown 5 4 inches X 2.54 = / 3 7 centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
PEDESTRIAN S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
'	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions	· ·
To: 1 Guodilano 1 not / toliano / toliano	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(or) Doro or row array	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
` <i>'</i>	
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify): SHOULD STRAT
(99) Unknown	(99) Unknown HAND BAG
	19. Pedestrian's Leg Orientation
	at Initial Impact <u>U</u> T
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
,	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
· · · · · · · · · · · · · · · · · · ·	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	
	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
,	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, folated (16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

tational Addition Camping System Grading		
OFFICIAL RECORDS		INJURY CONSEQUENCES
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian <ul> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>	0	25. Injury Severity (Police Rating)  (0) O - No injury  (1) C - Possible injury  (2) B - Nonincapacitating injury  (3) A - Incapacitating injury  (4) K - Killed  (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR		Nonfatal (3) Hospitalization
<ul> <li>23. Police Reported Other Drug Presence For Pedestrian</li> <li>(0) No other drug(s) present</li> <li>(1) Yes other drug(s) present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul>	7	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen,     (specify): (3) Specimen test given,     results unknown or not obtained (9) Unknown	<u></u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported
(99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes  (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal  (96) Fatal - ruled disease  (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	S INCLUDED WITH INITIAL SUBMISSION? YES M
UPDATE CANDIDATE?	NO [Y YES [ ]

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank


#### **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>3</u>	6. <u></u>	, <b>9</b>	8. <u>0 4</u>	9. <u>02</u>	-10. <u>/</u>	11. Z	ense pla 12.718	13. /	14	15	16	17
2nd	18	19	20	21	22	23	24	25	26	27	28	29	30
3rd	31	32.	33	34	35	36	37	38	39	40	41	42	43
4th	44	45	46	47	48	49	50	51	52	53	54	55	56
5th	57	58	59	60	61	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77:	78	79.	80	81. <u> </u>	82
7th	83	84	85	86	87. <u> </u>	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	114	112	113	114	115	116	117	118	119	120	121
l Oth	122	123	124	125	126	127	128.	129	130	131	132	133	134

## OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered summary) (1) Direct contact injury Separated from vehicle Indirect contact injury Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (< 15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) DAMAGE DEPTH Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage (6) E.M.S. personnel Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge (7) Interviewee Sharp edge (8) Other source (specify): Crush depth > 5 to 10 centimeters Other (specify): Other specify:\_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury Moderate injury (06) Lumbar (2)Face Neck Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (5) (06) Skin - Laceration Thorax (4)Severe injury (08) Skin - Avulsion (5) Critical injury Abdomen Amputation Maximum (untreatable) (6) Spine **Upper Extremity** (20) Burn Injured, unknown severity Level of Injury Lower Extremity Unspecified (30) Crush (8) Degloving Aspect Specific injuries consecutive two (50)Injury - NFS assigned consecutive two-digit beginning with 02. Type of Anatomic Structure (1) (2) (90) Trauma, other than mechanical Right Left numbers Whole Area (3) Bilateral Head - LOC To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (02) Length of LOC (04, 06, 08) Level of Consciousness (4) (5) Vessels Central Anterior (3) Nerves Organs (includes muscles/ (6) Posterior (4) (10) Concussion ligaments) Skeletal (includes joints) Head - LOC (7) Superior (8) Inferior (9) Unknown Whole region **INJURY SOURCE** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):\_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): \_ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):\_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components (specify): 720 Front fender side surface 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 810 Rear suspension 760 Rear (back) bumper 725 C pillar 761 Tailgate 818 Other undercarriage component (specify): 726 D pillar 762 Hatchback, vertical surface 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack 825 Cargo (specify):\_\_\_\_\_ component 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowi area 826 Spare tire 774 Wiper blade & mountings 737 Rear antenna 827 Spotlight 775 Windshield glazing 828 Other accessory (specify):\_ 738 Other left side object (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 779 Rear header 948 Other object (specify): Right Side Components

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): \_

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

(1) Certain

**SOURCE OF INJURY DATA** 

740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar

OFFICIAL

TYPE OF DAMAGE

(0) Injury not from vehicle contact

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

## OFFICIAL INJURY DATA — SKELETAL INJURIES



Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = 5


Units of Blood Given


Units =

**Arterial Blood Gases** 

Ph = \_\_\_\_/ PO<sub>2</sub> = \_\_\_\_/


PCO<sub>2</sub>






## OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

## PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

$\alpha \rho$	OFFICIAL RECORDS
1. Primary Sampling Unit Number $\frac{90}{200}$	0.00
2. Case Number - Stratum 6 9 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHICLE IDENTIFICATION	QQ mph X 1.6093 = $QQQ$ kmph
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify):  Applicable codes are found in your NASS PCDS Data Collection, Coding and	in kmph (999) Unknown $30 = 48.2 \text{ kmph}$
Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.  (999) Unknown	(9) Unknown  12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes may be found on the back of this page.	<ul> <li>(96) None given</li> <li>(97) AC (Alcohol Content) test performed, results unknown</li> <li>(98) No driver present</li> <li>(99) Unknown</li> </ul>
8. Vehicle Identification Number	Source: PAR
2 E 3 C B 6 7 8 9 10 11 12 13 14 15 16 17  Left justify; Slash zeros and letter Z (Ø and Z)  No VIN—Code all zeros  Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

## **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

## Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

## Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type


#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  3,009 lbs x .4536 = 1,364 kgs	18. Impact Speed  Proprieta Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:  16. Vehicle Cargo Weight  Code weight to nearest 10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more  (999) Unknown  OO,OOO lbs X .4536 = O,OOO kgs	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction  (1) Less than 2 kmph  (2) ≥ 2 kmph and ≤ 8 kmph  (3) ≥ 9 kmph and ≤ 16 kmph  (4) ≥ 17 kmph and ≤ 26 kmph  (9) Unknown  20. Data Source of Impact Speed  (0) No impact speed calculated  (1) Zone center calculation  (2) Police calculation  (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right
STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	<ul> <li>(10) Turning left</li> <li>(11) Making a U-turn</li> <li>(12) Backing up (other than for parking position)</li> <li>(13) Negotiating a curve</li> <li>(14) Changing lanes</li> <li>(15) Merging</li> <li>(16) Successful avoidance maneuver to a previous critical event</li> <li>(97) Other (specify):</li> <li>(98) No driver present</li> <li>(99) Unknown</li> </ul>

_	
16	(CO) De delevellet en ether en enterior in en elevere
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine (03) Disabling vehicle failure (e.g., wheel fell off)	roadway (specify):(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present (1) No avoidance maneuver
lane line	(2) Tracking
(61) From adjacent lane (same direction)—over right lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(3) Frechash stability drikhown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated (4) Vehicle stayed on roadway, not known if left
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIR	ONME	NTA	L DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	3	(	Roadway Surface Condition  1) Dry 2) Wet 3) Snow and slush 4) Ice 5) Sand, dirt or oil 8) Other (specify): 9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	/	(	Traffic Control Device  0) No traffic control(s)  1) Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown		(	Regulatory or School Zone Sign (Not RR Crossing) 2) Stop sign 3) Yield sign 4) School zone sign 5) Other sign (specify):  Unknown sign 7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four	3	(	8) Miscellaneous/other controls including RR controls (specify):  9) Unknown
	<ul><li>(4) Four</li><li>(5) Five</li><li>(6) Six</li><li>(7) Seven or more</li><li>(9) Unknown</li></ul>		(	Traffic Control Device Functioning  O) No traffic control  1) Not Functioning  2) Functioning  9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		( ( (	ight Conditions  1) Daylight 2) Dark 3) Dark, but lighted 4) Dawn 5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		37. <i>F</i>	9) Unknown Atmospheric Conditions 1) No adverse atmospheric related driving conditions 2) Rain 3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	7	( ( (	<ul> <li>4) Snow</li> <li>5) Fog</li> <li>6) Rain and fog</li> <li>7) Sleet and fog</li> <li>8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>9) Unknown</li> </ul>



PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

### **VEHICLE IDENTIFICATION**

VIN 2 F 3 C B 6 6 U 7 L H

Model Year <u>90</u>

Vehicle Make (specify): EAGIE

### PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material	
PEV08 Hood Length	·

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV19 Front Bumper Lead

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

5/ee/	
117	
140	cm
148	cm
150	o.m


#### **VERTICAL MEASUREMENTS**

PEV16 Front Bumper-Bottom Height	<u> 255</u>	cm
PEV17 Front Bumper-Top Height	052	cm
PEV18 Forward Hood Opening	070	cm

### WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	074	cm
PEV21 Ground to Front/Top Transition Point	078	cm
PEV22 Ground to Rear Hood Opening	193	cm
PEV23 Ground to Base of Windshield	198	cm
PEV24 Ground to Top of Windshield	279	cm
PEV25 Ground to Head Contact	NA	cm

## VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:



	PEDESTRIAN SIDE CONTACT WORK SHEE	T	
DEV/06			
	Hood Material		
	Hood Length		cm
	Hood Width-Forward Opening		cm
	Hood Width-Midway	<i></i>	cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PF\/35	C <sub>t</sub> to A-Pillar at Bottom of Windshield		
			cm
	C <sub>L</sub> to A-Pillar at Top of Windshield		cm
PEV3/	C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
	AMPAR DISTANCES		
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
PEV41	Ground to Head Contact		cm

## **ORIGINAL SPECIFICATIONS**

Wheelbase	1060	inches	x 2.54	=	2 <u>69</u> cm
Overall Length	1929	inches	x 2.54	=	<u> 490</u> cm
Maximum Width	070.0				$\angle 28$ cm
Curb Weight $\underline{\mathscr{O}}$	3.022	pounds	x .4536	=	<u>/ . 3 7 / kg</u>
Average Track	0578	inches	x 2.54	=	147 cm
Front Overhang	<i>N-A</i>	inches	x 2.54	=	<i>N-A</i> _ cm
Rear Overhang		inches	x 2.54	=	<u> </u>
Undeformed End Width	0586	inches	x 2.54	=	<u> </u>
Engine Size: cyl./displ.		СС	x .001	=	L
	182	CID	x .0164	=	<u>30</u> L

### **INJURY SOURCE**

744 B pillar 745 C pillar

FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed)
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component

Right Side Components
740 Front fender side surface

741 Front antenna

742 A1 pillar

743 A2 pillar


746	D pillar
748	Other pillar (specify):
749	Right side roof rail
750	Right side door surface
751	Right side door handle
752	Right side mirror fixed housing
753	Right side folding mirror
754	Right side glazing forward of B pillar
755	Right side glazing rearward of B pillar
756	Rear antenna
757	Rear fender or quarter panel
758	Other right side object
	(specify):
759	Unknown right side component
Back C	omponents
760	Rear (back) bumper
761	Tailgate
762	Hatchback, vertical surface
768	Other back component
	(specify):
769	Unknown back component
T C-	
	emponents Hood surface
//1	Hood surface reinforced by under hood
	component
	Front fender top surface
	Cowl area
	Wiper blade & mountings
	Windshield glazing
	Front header
	Roof surface
	Backlight glazing
779	Rear header
	Hatchback
	Rear trunk lid
	Other top component (specify):
789	
	Unknown top component
	Unknown top component
	Unknown top component

Wheels	tires '
790	Left front wheel / tire
791	Right front wheel / tire
792	Left rear wheel / tire
793	Right rear wheel /tire
798	Other wheel / tire (specify):
799	Unknown wheel / tire
Underd	arriage components
800	Front cross member
801	Steering assembly/Front suspension
802	Oil pan
803	Exhaust system pipe
	Transmission
805	Drive shaft
	Catalytic converter
807	Muffler
808	Floor pan
	Fuel tank
	Rear suspension
818	Other undercarriage component
	(specify):
819	Unknown undercarriage component
Access	
	Air scoop, deflector
	Cellular or CB radio antenna
	Emergency lights or bar
	Fog lights
	Luggage, ski, or bike rack
	Cargo (specify):
	Spare tire
	Spotlight
828	Other accessory (specify):
	Object or Vehicle in Environment
	Ground
948	Other object (specify):
	Unknown object in environment

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source



Location of the origin (intercept point of the centerline and the front axles) from the ground:  $\angle ZD$ cm

POINTS OF PEDESTRIAN CONTACT								
PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )	SEQUENCE #
4-B	Bumpey	+132	-34(4)	50	Legee		2 3 9	
15	1974	+ 96	-09E	0	14476	Smudge	<b>△</b> 2 3 4	
6 F	Hood	+50	-08(F	) 0	Hand		2 3 9	
							721	
A	1 Sumper		-24	0	1-Leg		(1)2 3 9	/
·B	Bumper	+/32	-57	0	I-Parle		(1)2 3 9	1
<i>D</i>	Edge	+96	-67	0		Smudge	1 2 3 9	2
E	Elige	+96	-09	0	/F / /	CONTACT.	1(2)3 9	2
6	Hood	+50	-70	0	1419	SMEARS	1 (2) 3 9	いろ
F	Hood	+50	<u>-08</u>	0	H AN AS	Smears	162)3 9	)
							1 2 3 9	
							1 2 3 9	
							1 2 3 9 1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
	·						1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT							
CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle)</i>
1	A	+132	-24	0	Leg	Bundge	2 3 9
2	B	4/32	<i>−57</i>	0	L-Leg/	Smudge	$O_{2,1,1}$
3	D	+96	-67	0	L-/Cure	Smudge	1239
4	E	+96	-09	0	14/9	SMEAY	0.
5	G	+50	720	D	11tip	Smears	1 2 9
6	F	+50	-08	0	HANUS	5mears	1 🕖 3 . 9
7		0					1 2 3 9
8	*	Some	e ph	expe	el Eu	ulence	1 2 3 9
9	W	as 2	nin	like	top	e Eye	1 2 3 9
10	at	Line	ed	Web	iele	insperter	77,219
11	a	ll Co	nta	etn	come	leer	1 2 3 9
12	i	nde	cufe	7	Dyl	ene the	1 2 3 9
13	1	ed.	Ma	ele	Car	tack	1 2 3 9
14	Ca	ila	Lion	D A	velir	ele.	1 2 3 9
15	164	4		1			1 2 3 9
16							1 2 3 9.
(17)	(A)	135	-15	U	L. leg	Bent?	<u>(1)</u> 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 8
23							1 2 3 9
2A							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 50
4. Original Wheelbase 269	Code to the
Code to the	nearest centimeter (210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown
$106.0$ inches $\times 2.54 = 269$ centimeters	$0.59$ . inches $\times 2.54 = /50$ centimeters
5. Original Average Track Width  Code to the nearest centimeter	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged
(185) 185 centimeters or more (999) Unknown	<ul><li>(1) Surface scratching only, no residual crush</li><li>(2) Minor crush (1-3 centimeters)</li><li>(3) Moderate crush (4-7 centimeters)</li></ul>
$057.4$ inches $\times 2.54 = 146$ centimeters	<ul><li>(4) Severe crush (&gt;7 centimeters)</li><li>(8) Damage present, unknown if damage is from pedestrian impact</li></ul>
6. Hood Material <u>2</u>	(9) Unknown
<ul><li>(1) Plastic</li><li>(2) Fiberglass</li><li>(3) Steel</li></ul>	13. Windshield Contact Damage From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
<ul><li>(5) Stainless Steel</li><li>(8) Other (specify):</li></ul>	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	14. Front Bumper Cover Material
nearest centimeter (180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic (2) Fiberglass
$046.0$ inches $\times 2.54 = 17$ centimeter	(3) Rubber
<b>.</b> .	(4) Other (specify):(9) Unknown
9. Hood Width Forward Opening  Code to the	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel (2) Aluminum
$0.55$ . Linches $\times 2.54 = 140$ centimeters	(3) Stainless Steel
	(4) Other (specify): (9) Unknown
10. Hood Width Midway  Code to the	
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more (999) Unknown	nearest centimeter
$0.58$ . $2_{\text{inches}} \times 2.54 = 148_{\text{centimeters}}$	(000) No front contact (150) 150 centimeters or more
V J V inches x 2.54 = $I I V$ centimeters	(999) Unknown
	01 3 7 inches X 2 54 = 0 3 5 centimeters

Mational Accident Sampling System Stashworthiness But	a byotomic rodounan antonor romais rom
17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown  DDD L inches X 2.54 = 052 centimeters	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  CT Z inches X 2.54 =  Centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  O27.5 inches X 2.54 = O70 centimeters	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown  109. Linches x 2.54 = 279 centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown  003.5 inches × 2.54 = 004 centimeters	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown  inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  O 2 9. / inches X 2.54 = O 1 4 centimeters  21. Ground to Front/Top Transition Point O 7 8  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  O 3 0 7 inches X 2.54 = D 7 8 centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
22. Ground to Rear Hood Opening  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown  75.9 inches X 2.54 = 193 centimeters	inches X 2.54 = centimeters  28. Side Bumper-Top Height Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters

29	Centerline of Wheel	000	Side Lateral Measureme	nts
25.	Code to the	<u> </u>		
:	nearest centimeter	•	25 Contading to A Billion	000
	(000) No side contact		35. Centerline to A-Pillar at Bottom of Windshield	UUU
	(150) 150 centimeters or more		(000) No side contact	
	(999) Unknown		Code to the	
	See N. O. F. 4		nearest centimeter	
	inches X 2.54 =	_ centimeters	(250) 250 centimeters or more	
			(999) Unknown	
30.	Top of Tire	000		
	Code to the		inches X 2.54 =	centimeters
	nearest centimeter			
	(000) No side contact		36. Centerline to A-Pillar	000
	(200) 200 centimeters or more		at Top of Windshield	
	(999) Unknown		Code to the	
	inahan V 2 E4 -		nearest centimeter	
	inches X 2.54 =	_ centimeters	(000) No side contact	
			(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	000	(999) Unknown	
	Code to the			
	nearest centimeter		inches X 2.54 =	centimeter
	(000) No side contact			
	(250) 250 centimeters or more		37. Centerline to Maximum Side	000
	(999) Unknown		View Mirror Protrusion	
	0 00. Oinches X 2.54 = 000	Centimeters	Code to the	
			nearest centimeter	
32.	Bottom of A-Pillar at Windshield	000	(000) No side contact	
	Code to the		(300) 300 centimeters or more (999) Unknown	
	nearest centimeter		(999) OHKHOWH	
	(000) No side contact		inches X 2.54 =	centimeter
	(250) 250 centimeters or more (999) Unknown			
			Side Wrap Distance Measure	vnante
	inches X 2.54 =	centimeters	One map distance measure	anemo
				200
22	Top of A Biller at Windshield	000	38. Ground to Side/Top Transition	000
33.	Top of A-Pillar at Windshield  Code to the		Code to the	
	nearest centimeter		nearest centimeter	
	(000) No side contact		(000) No side contact (400) 400 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown		(CCC, CAMAIICANA	
	inches X 2.54 =		inches X 2.54 =	centimeters
	Inches X 2.54 =	centimeters		
			39. Ground to Hood Edge	000
34.	Top of Side View Mirror	000	Code to the	
	Code to the		nearest centimeter	
	nearest centimeter		(000) No side contact	
	(000) No side contact		(500) 500 centimeters or more	
	(300) 300 centimeters or more (999) Unknown		(999) Unknown	
	(333) Olikilowii			
	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters

40.	Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000	
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters	
	inches X 2.54 =	centimeters	
	•		



90609P00000011 969.00000000000110450100001 96

9600000000

000000000000000 01

90609P00010012 969.001000000000103F72000

9.00 0000000002421705109713708411013132308040509670165000015 90609P00010021

10100000000001

90609P00010131 9.00 00000000038904021271811111

9.00 000000009010040042E3CB66U7LH 99904809600136000000 90609P01000041

31110916011131311211211

90609P01000051 9.00 000000002691463111714014815010110350520700907407819319

0000000000000

PSU90

CASE 609P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

796

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	O	· · · · · · · · · · · · · · · · · · ·
Pedestrian Assessment	Ō	Ö	Ö	Ý
Pedestrian Injury	0	0	Ō	Y
Pedestrian General Vehic	le O	0	0	Υ
Pedestrian Exterior Vehi	ole O	O	0	Υ
Total Inter Errors		o	0	
Total Case Errors	0	o	0	